



RASA SHAstra IN ANCIENT AYURVEDA: THE EARLIEST FORM OF MODERN NANOTECHNOLOGY — A COMPARATIVE STUDY

¹Dr. Mukesh Kumar, ²*Dr. Suman Sarkar

¹Assistant Professor, Rasashastra and Vaisajya Kalpana Bellay Sankarpur Rajiv Gandhi memorial Ayurvedic College and Hospital.

²Assistant Professor, Samhita Siddhanta Bellay Sankarpur Rajiv Gandhi Memorial Ayurvedic College and Hospital.

Article Info:

Received: 22 July 2026,

Revised: 12 August 2026,

Accepted: 01 September 2026

***Corresponding Author: Dr. Suman Sarkar**

Assistant Professor, Samhita Siddhanta Bellay Sankarpur Rajiv Gandhi Memorial Ayurvedic College and Hospital.

DOI: <https://doi.org/10.5281/zenodo.22548046>



Citation:

¹Dr. Mukesh Kumar, ²*Dr. Suman Sarkar. (2026). Rasa Shastra In Ancient Ayurveda: The Earliest Form Of Modern Nanotechnology — A Comparative Study. International Journal of Clinical and Pharmaceutical Innovations, 1(6), 182-186.

ABSTRACT

Rasa Shastra, a specialized branch of Ayurveda that gained prominence between the 8th and 14th centuries CE, pioneered the therapeutic use of metals, minerals, and gems through intricate multi-step processing methodologies. Central to this discipline is the synthesis of Bhasmas (calcined metallic preparations) and Kajjali (herbomineral complexes). Recent advances in material characterization confirm that these ancient formulations consist predominantly of stable, biologically active nanoparticles ranging between 10 and 100 nanometers. This comparative study examines the conceptual and technical convergence between classical Rasa Shastra and contemporary nanotechnology. By mapping traditional steps—such as Shodhana (purification/detoxification), Bhavana (trituration with herbal juices), and Marana (incineration in closed crucibles)—onto modern top-down and bottom-up synthesis pathways, this paper demonstrates how ancient alchemists altered atomic coordination, reduced particle sizes, and functionalized mineral surfaces with bio-organic coatings. Classical test parameters (Rekhapurnatva, Varitara) correlate directly with modern physical properties verified via Transmission Electron Microscopy (TEM), X-ray Diffraction (XRD), and Dynamic Light Scattering (DLS). The resulting organometallic nanostructures exhibit enhanced cellular uptake, superior bioavailability, targeted delivery, and diminished toxicity compared to raw inorganic metals. Recognizing Rasa Shastra as a precursor to modern green nanotechnology offers critical insights for modern targeted nanomedicine, bio-capping, and the development of safe, highly bioavailable metallo-therapeutics.

KEYWORDS: Rasa Shastra, Bhasma, Nanotechnology, Green Synthesis, Herbomineral Formulations, Shodhana, Marana, Bioavailability.

INTRODUCTION

Modern nanotechnology, formally conceptualized in the mid-twentieth century and expanded dramatically over the past four decades, focuses on manipulating matter at dimensions between 1 and 100 nanometers. Materials at this sub-micron scale exhibit novel physical, chemical, and biological properties, including elevated surface-

area-to-volume ratios, altered quantum states, and improved cellular membrane permeability. Within contemporary medicine, nanocarriers, quantum dots, and metallic nanoparticles serve as powerful tools for targeted drug delivery, non-invasive imaging, and overcoming biological barriers.

Long before the advent of electron microscopy or atomic spectroscopy, ancient Indian medical scientists developed an empirical yet systematic approach to synthesizing sub-micron metallic agents for therapeutic administration. Documented comprehensively in classical texts such as the Rasaratna Samuccaya, Rasarnava, Rasa Hridaya Tantra, and Caraka Samhita, the pharmaceutical sub-discipline known as Rasa Shastra emerged as a distinct, highly refined branch of Ayurveda. Recognizing that native heavy metals—such as mercury (Parada), gold (Swarna), silver (Rupya), iron (Lauha), copper (Tamra), and zinc (Yashada)—are intrinsically toxic and insoluble in human biological fluids, ancient practitioners developed sophisticated thermochemical cycles to transmute these raw elements into biocompatible, therapeutic powders termed Bhasmas.

A fundamental challenge in modern inorganic chemistry is the synthesis of metallic nanoparticles without using toxic reducing agents, harsh organic solvents, or non-biodegradable synthetic capping agents. The classical techniques of Rasa.

Shastra present a pristine template for "green synthesis," wherein biological matrices (plant extracts, decoctions, cow milk, buttermilk) act as both mechanical dispersants and molecular surfactants. The repeated application of mechanical shear forces combined with controlled heat treatment yields stable, crystalline, zero-valent or metal-oxide/sulfide nanoparticles enveloped in a protective organic corona.

Understanding the deep scientific parallels between classical Rasa Shastra and modern nanoscience requires a systematic, interdisciplinary evaluation. This study investigates the ancient metallurgical-pharmaceutical principles of Bhasmikaarana, correlates classical quality tests with modern analytical characterization techniques, and analyzes the pharmacokinetic advantages of these ancient nanomedicines through the lens of modern molecular pharmacology.

METHODS

This comparative investigation utilizes an interdisciplinary review and synthesis methodology, analyzing classical Ayurvedic compendia alongside peer-reviewed physical and biological characterization studies published in modern material science and pharmacological literature.

Classical Literature Extraction

Primary textual sources—including the Rasaratna Samuccaya (Vagbhata), Rasendra Sara Sangraha, Sarngadhara Samhita, Charaka Samhita, and Sushruta Samhita—were analyzed to extract explicit descriptions of.

1. Raw material classification (Dhatu, Ratna, Maharasa, Uparasa).

2. Pre-processing purification and chemical alteration steps (Shodhana).
3. Trituration with organic media (Bhavana).
4. Closed-system calcination cycles (Marana via Puta heating systems).
5. Traditional physical and physicochemical quality control assays used to evaluate the end product (Bhasma Pariksha).

Modern Scientific Literature Correlation

A systematic cross-referencing was performed against experimental data from published nanoscience investigations on classical Bhasmas (e.g., Swarna Bhasma, Lauha Bhasma, Yashada Bhasma, Tamra Bhasma, and Kajjali). Data points evaluated include.

1. Morphological and size characterization: Transmission Electron Microscopy (TEM), Field Emission Scanning Electron Microscopy (FESEM), and Atomic Force Microscopy (AFM).
2. Phase identification and crystallographic structure: X-Ray Powder Diffraction (XRD).
3. Chemical composition and trace elemental purity: Inductively Coupled Plasma Mass Spectrometry (ICP-MS) and Energy Dispersive X-ray Spectroscopy (EDS/EDX).
4. Surface functional groups and bio-organic coating analysis: Fourier Transform Infrared Spectroscopy (FTIR) and Thermogravimetric Analysis (TGA).
5. Colloidal stability and particle size distribution: Dynamic Light Scattering (DLS) and Zeta Potential measurements.

Comparative Analytical Framework

The collected data were mapped across three core thematic domains:

- Synthesis pathways (Top-down mechanical breakdown vs. Bottom-up chemical nucleation).
- Quality control and end-point verification (Ancient organoleptic/physical tests vs. Modern spectroscopic/microscopic instrumentation).
- Pharmacokinetics and biosafety (Cellular penetration, metabolic fate, organic capping mechanisms, and toxicity mitigation).

RESULTS

Phase-Wise Processing: Ancient Protocols vs. Nanofabrication Pathways

The pharmaceutical transformation in Rasa Shastra, known broadly as Bhasmikaarana, proceeds through three mandatory stages that parallel modern hybrid top-down and bottom-up nanomanufacturing

1. Shodhana (Purification and Structural Cleavage)

In modern terminology, Shodhana is not merely the extraction of physical debris; it is a thermo-mechanical and chemical surface-activation process. The raw metal is repeatedly heated to its melting or red-hot state and quenched into specific liquid media (such as Kanjika [sour gruel], Takra [buttermilk], Kulattha Kwatha [horse

gram decoction], Gomutra [cow urine], or Tila Taila [sesame oil]).

From a material science perspective, repeated rapid thermal expansion followed by instantaneous liquid quenching induces extreme thermal shock. This introduces high-density dislocations, micro-fractures, and structural lattice defects throughout the crystalline bulk. Quenching in acidic or organic media simultaneously initiates surface etching, eliminates macroscopic impurities, and deposits trace functional chemical groups onto the cracked metallic surface.

2. Bhavana (Trituration, Wet Milling, and Bio-functionalization)

Following initial coarse reduction, the metal is subjected to Bhavana—continuous wet grinding in a pestle and mortar (Khalwa Yantra) with fresh plant juices (Swarasa), herbal decoctions (Kwatha), or animal fluids for days or weeks.

In nanotechnology terms, Bhavana combines high-energy wet mechanical attrition (top-down) with in-situ surface functionalization. The mechanical shearing action grinds micro-particles down to sub-micron scales while preventing spontaneous agglomeration. Phytochemicals present in the plant juices—such as polyphenols, flavonoids, alkaloids, and carbohydrates—adsorb directly onto the highly reactive, fresh cleavage planes of the metal. These biological molecules act as natural surfactants, steric stabilizers, and green capping agents.

3. Marana and Putapaka (Solid-State Calcination and Nanocrystallization)

The triturated paste is shaped into flat, disc-like pellets (Chakrikas), dried thoroughly under sunlight, placed within sealed earthen crucibles (Sharava Samputa), and subjected to precise thermal cycles (Putra). The heating profile varies depending on the metal, using specific fuels (e.g., cow dung cakes) that create controlled temperature peaks followed by gradual, self-regulated cooling over several hours.

Under these conditions, a closed-system solid-state chemical reaction occurs. High temperatures degrade complex metallic lattices, causing reactions with sulfur, oxygen, and mineral vapors present inside the crucible. The result is the conversion of zero-valent toxic metals into stable, bio-absorbable metal oxides or metal sulfides. The cycles of Bhavana and Putapaka are repeated multiple times (from 7 up to 100 or even 1000 cycles for specialized preparations like Sahasraputi Lauha Bhasma). Each successive thermal and grinding cycle further reduces crystallite size, increases homogeneous phase distribution, and prevents nanoparticle sintering.

Comparison of Quality Control and Characterization Parameters

Ancient Rasa Shastra treatises defined precise empirical end-point tests (Bhasma Pariksha) to confirm that a metallic preparation had lost its metallic nature and was safe for internal consumption. Modern nanoscience verifies that these criteria measure genuine nanoscale physical properties.

Rekhapurnatva (Furrow Filling)

A small quantity of Bhasma is rubbed between the index finger and thumb. If properly prepared, the particles penetrate the microscopic ridges and epidermal grooves of human skin. In modern terms, this demonstrates a particle size smaller than the human epidermal micro-ridge dimensions (typically below 10–20 micrometers, with primary particles in the nanometer domain).

Varitara (Floating on Water)

A pinch of the Bhasma is gently dropped onto still water; a successful preparation floats uniformly across the surface tension without sinking. This outcome indicates very low density, high specific surface area, fine particle size, and hydrophobic bio-surfactant properties imparted by organic capping.

Unnama (Supporting Weight)

A light grain (such as a grain of rice) placed atop the floating Bhasma layer does not cause it to submerge, further demonstrating the stability of the surface-tension equilibrium driven by ultra-fine particle distribution.

Nis-chandratva (Absence of Metallic Luster)

Visual inspection under bright light confirms the absence of metallic luster or reflective facets. Microscopically, the conversion of crystalline bulk metal to nanoscale oxide or sulfide matrices eliminates the specular reflectance characteristic of free electrons in metallic lattices.

Apunarbhava (Irreversibility to Metallic State)

The Bhasma is mixed with fluxes (such as Guda [jaggery], Gunja [Abrus precatorius], Ghrita [ghee], and Madhu [honey]) and heated under extreme blowpipe temperatures. It must not revert to its original metallic state. Chemically, this verifies that the metal has successfully formed a stable, non-reducible coordination complex with oxygen, sulfur, and inorganic ligands.

Niruttha (Inability to Alloy with Silver)

Heating the Bhasma with a pure silver foil must not cause the silver to discolor or alloy. This test confirms the total absence of free, unreacted, zero-valent metallic atoms that could trigger systemic heavy-metal poisoning.

Modern instrumental characterization of standard Bhasmas corroborates these ancient parameters.

- X-Ray Diffraction (XRD): Demonstrates complete disappearance of sharp elemental metal peaks, replaced

by well-defined crystalline peaks of metal oxides or metal sulfides (e.g., HgS). Peak broadening matches the Scherrer equation calculations for crystallite sizes between 15 nm and 60 nm.

- Transmission Electron Microscopy (TEM): Reveals spherical, quasi-spherical, or matrix-embedded nanoparticles with core dimensions ranging from 10 to 80 nm, often embedded within an amorphous carbonaceous matrix.

- Fourier Transform Infrared Spectroscopy (FTIR): Identifies characteristic vibration bands corresponding to organic functional groups (hydroxyl, carbonyl, carboxylic, and amide groups) originating from the herbal decoctions used in Bhavana, confirming the presence of stable phytochemical capping.

DISCUSSION

The Bio-Corona and Green Capping Mechanism

One of the most critical discoveries in contemporary nanomedicine is the phenomenon of the "protein corona" or "bio-corona." When bare, synthetic metallic nanoparticles enter physiological fluids, they immediately adsorb surrounding plasma proteins, which often triggers immune recognition, phagocytosis by the reticuloendothelial system (RES), and subsequent hepatic or renal accumulation.

Ancient Rasa Shastra successfully bypassed this challenge through bio-capping during the Bhavana and Putapaka steps. The repetitive grinding with plant extracts coats the synthesized mineral nanoparticles with a permanent organic matrix composed of polysaccharides, flavonoids, and polyphenolic ligands. This green bio-corona serves several distinct functions.

Prevents Particle Aggregation

Electrostatic and steric repulsive forces induced by the organic capping prevent the high-energy nanoparticles from fusing into larger, insoluble bulk agglomerates.

Eliminates Intrinsic Metallic Toxicity

Native heavy metals exert cellular toxicity through non-specific redox cycling, free radical generation, and cross-linking of vital cellular enzymes. When locked inside a crystalline oxide/sulfide matrix and shielded by a phytochemical shell, the release of toxic, free divalent or trivalent ions is tightly regulated.

Enhances Biocompatibility and Stealth Characteristics

The bio-organic interface helps the nanomedicine evade premature clearance by macrophages, allowing extended systemic circulation without triggering adverse immunological cascades.

Pharmacokinetics, Cellular Uptake, and Targeted Delivery

The therapeutic potency of Rasa Shastra formulations is traditionally described by the concept of Rasayana (rejuvenation, longevity) and Yogavahi (catalytic carrier

properties). Classical texts explicitly state that Bhasmas act in micro-doses (Alpamatra), possess rapid systemic absorption (Sheeghra Vyapti), and enhance the therapeutic efficacy of co-administered herbal drugs (Anupana).

Modern pharmacokinetic principles provide a direct scientific rationale for these classical observations.

Enhanced Dissolution and Bioavailability

According to the Noyes-Whitney equation, the dissolution rate of a substance is directly proportional to its effective surface area. Nanoscale reduction exponentially expands the contact surface between the drug and gastrointestinal fluids, allowing sparingly soluble mineral compounds to dissolve efficiently and achieve systemic absorption.

Paracellular and Transcellular Transport

Particles below 100 nm can cross biological barriers via clathrin- or caveolae-mediated endocytosis, microfold (M) cells in Peyer's patches, and paracellular junctions across the intestinal epithelium.

Targeted Carrier Function (The Yogavahi Effect)

In classical Ayurveda, Bhasmas are rarely administered alone; they are co-prescribed with specific adjuvants called Anupanas (such as honey, milk, ghee, ginger juice, or long pepper). The nanoparticle surface acts as a high-capacity substrate that adsorbs active phytochemical components from the Anupana. The Bhasma serves as a nanoscale delivery vehicle, carrying active botanical molecules across cellular membranes and the blood-brain barrier.

Safety, Standardization, and the Heavy Metal Dilemma

Modern clinical concerns regarding Rasa Shastra generally focus on heavy metal toxicity. Reports of toxicity linked to Ayurvedic products in modern literature almost universally trace back to improperly prepared, counterfeit, or substandard formulations produced without adherence to classical protocols.

When the rigorous, multi-cycle Shodhana and Marana guidelines are accurately implemented.

- Free metallic species are completely transformed into inert, crystalline, and stable mineral complexes.
- Trace element concentrations remain within biologically tolerated boundaries.
- In vivo toxicity assays repeatedly show that standard, classically prepared Swarna Bhasma, Abhraka Bhasma, and Lauha Bhasma cause no significant histopathological damage or functional impairment in hepatic, renal, or hematopoietic systems.

The essential modern challenge is not the concept of Rasa Shastra itself, but the standardization of its production. Modern validation requires establishing stringent Good Manufacturing Practices (GMP) that

combine classical batch-testing with advanced characterization technologies (XRD, TEM, ICP-MS, and DLS) to ensure uniform particle size distributions, chemical stability, and the complete absence of unreacted bulk precursors.

CONCLUSION

Rasa Shastra represents a sophisticated, empirically validated precursor to modern green nanotechnology. Centuries before the physical tools existed to image matter at the atomic and sub-micron scale, ancient Ayurvedic alchemists designed thermodynamic and mechanochemical techniques to manufacture stable, biocompatible, bio-capped nanoparticles.

The three foundational stages of Bhasmikanana—Shodhana, Bhavana, and Marana—align directly with modern top-down mechanical cleavage, green surface-functionalization, and bottom-up thermal crystallization. The resulting Bhasmas possess physical, chemical, and biological properties that explain their enhanced therapeutic efficacy, superior bioavailability, and reduced systemic toxicity.

By integrating modern material science characterization, rigorous standardization, and molecular pharmacology with the deep empirical heritage of Rasa Shastra, contemporary medicine can unlock valuable paradigms for developing safer, naturally capped nanomedicines and advanced targeted delivery systems.